

Phone: 248.340.9005 Fax: 248.340.9002

www.customserviceanddesign.com

MULTI BAG VESSEL SPECIFICATION BULLETIN: 1803-14

THREE BAG VESSEL DESIGN

CSD OFFERS A COMPLETE LINE OF FILTRATION VESSEL DESIGNS SETTING NEW STANDARDS IN THE INDUSTRY. THE **THREE BAG** VESSEL DESIGN UTILIZES 3 STANDARD #2 SIZE BAG FILTERS WITH FLOW RATES UP TO 660 GPM.

CSD's State-of-the-art vessels offer filtration solutions to a variety of industries and applications. Bag housing designs effectively remove dirt and other contaminents from process liquids offering particulate removal from 1 thru 800 micron, low differential pressure drops and cost effective clean fluids.



APPLICATIONS:

CHEMICAL PROCESS COATINGS & PAINT COOLING TOWER DI / RO WATER ENVIRONMENTAL / GROUND REMEDIATION FOOD & BEVERAGE MANUFACTURING / INDUSTRIAL PHARMACEUTICAL POWER GENERATION


STANDARD FEATURES:

- ⇒ CARBON STEEL, 304L & 316L STAINLESS STEEL
- \Rightarrow Permanently Piped Vessels
- \Rightarrow Stainless Steel Restrainer Baskets
- \Rightarrow BAG HOLD DOWN BUILT INTO LID
- \Rightarrow 150 P.S.I.
- \Rightarrow Manual Hydraulic Jack Lid Lift
- \Rightarrow Outlets Available: Inline
- \Rightarrow FLANGED CONNECTIONS
- \Rightarrow Vent, Gauge, Drain Ports
- \Rightarrow BUNA SEALS
- \Rightarrow Permanent Welded Legs

OPTIONS:

- $\Rightarrow \ \ Several \ \ Vessel \ Styles \ \ Available$
- $\Rightarrow~$ Manual / Automatic Duplexing
- ⇒ SEAL MATERIAL: EPDM, VITON, TEFLON ENCAPSULATED VITON
- \Rightarrow Mesh lined Restrainer Baskets
- \Rightarrow Higher Pressure Rating
- \Rightarrow Davit Arm Lid Lift
- \Rightarrow Low Profile
- $\Rightarrow \ \ S \text{PECIALTY DESIGNED VESSELS}$





BAG SIZES INDUSTRY STANDARD #2 BAGS; 3 BAGS PER UNIT							
Basket Length	30"						
BASKET MATERIAL	STAINLESS STEEL WITH 9/64" PERFORATION						
Housing Lid	MANUAL HYDRAULIC JACK LID LIFT WITH 0.5" (F) NPT VENT PORT AND BUILT-IN BAG HOLD DOWN						
CONNECTION SIZE	2", 3", 4"						
CONNECTION STYLE	CTION STYLE FLANGED						
INLET / OUTLET LOCATIONS	OUTLETS AVAILABLE: INLINE, OPPOSITE SIDE, SAME SIDE, LOW PROFILE						
SEALS	BUNA, EPDM, VITON, TEFLON ENCAPSULATED VITON						
CONSTRUCTION / FINISH	CARBON STEEL W/ STANDARD EXTERIOR FINISH; STAINLESS STEEL W/ BEAD BLAST SATIN FINISH						
PRESSURE RATING	Rating 150 PSI @ 250° F						
Additional Ports	NAL PORTS FOUR 0.5" (F) NPT GAUGE PORTS; ONE 1.5" (F) NPT DRAIN PORT						
Base	PERMANENT WELDED LEGS						

* Based on vessel only. Please consider filter media, expected contaminant loading and fluid viscosity when sizing a filter vessel.

BUILD A CSD PART NUMBER

ĺ	0	18	03	30	6L	040	F	4	В	С
ſ	TYPE	VESSEL SIZE	# OF BASKETS /	ELEMENT	# OF LUGS	CONNECTION	CONNECTION	OUTLET	SEALS	MATERIAL OF
			ELEMENTS	Length		SIZE	STYLE	LOCATION		CONSTRUCTION

*** For specific vessel dimensional cut sheets, call factory or consult website***



PHONE: 248.340.9005 FAX: 248.340.9002



www.customserviceanddesign.com